## Last time: Conservative vector fields

Let **F** be the vector field on  $\mathbb{R}^2$  given by

$$\mathbf{F}(x,y) = \langle y \cos xy + 2xy, x \cos xy + 2e^{2y} + x^2 \rangle.$$

Find f such that  $\nabla f = F$ ; check your work when you're done.

- (a) I'm done, I found f.
- (b) It is not possible to find *f*; it must be that **F** is not conservative.
- (c) I don't know what to do.

#### Announcements:

Midterm 2 is next Tuesday, March 12.

Next Wednesday, March 13, there will be lecture as usual.

But next Friday, March 15, there will be no lecture.

## Last time:

#### **Theorem**

 $\int_C \mathbf{F} \cdot d\mathbf{r}$  is independent of path  $\Leftrightarrow \int_C \mathbf{F} \cdot d\mathbf{r} = 0$  for all closed curves C.

## Theorem (A)

If **F** is a vector field on D, and D is open and connected, then **F** is conservative  $\Leftrightarrow \int_C \mathbf{F} \cdot d\mathbf{r}$  is path independent.

## Is the converse true?

That is, if we know  $\frac{\partial P}{\partial y} = \frac{\partial Q}{\partial x}$ , can we conclude that **F** is conservative?

Answer: Not always.

We need some conditions on the domain D.

# Example: simply connected sets

Which of the following sets are open and simply connected?

- $\mathbb{R}^2$
- **2**  $\{(x,y) \mid (x,y) \neq (0,0)\}$
- (a) Only (1).
- (b) Only (2).
- (c) Both (1) and (2).
- (d) Neither (1) nor (2).
- (e) I don't know.

## Is F conservative?

Let 
$$\mathbf{F} = \langle P, Q \rangle = \langle \frac{-y}{x^2 + y^2}, \frac{x}{x^2 + y^2}.$$

Is 
$$\frac{\partial P}{\partial v} = \frac{\partial Q}{\partial x}$$
? Is **F** conservative?

- (a) Yes and Yes
- (b) Yes and No
- (c) No and Yes
- (d) No and No
- (e) I don't know